	Types of cookie			How to refuse
Category	Title	Explanation	Who serves these cookies	Because these cookies are strictly necessary to deliver the Websites to you, you cannot refuse them. You can block or delete them by changing your browser settings.
	lang LANGTYPE token secType DEVICEID		3g.csair.com	IE: Clear History or Cookies on Internet Options Settings in IE browser. Google: click on the vertical three-point icon
	userId		m. csair. com	will appear history
These cookies are	TOKEN cs1246643sso sid	For travelers'		options; move the mouse to the top, there will be history data; open the history button there is
strictly necessary to	account	country, language,	m. csair. com	clear browser data options; after clicking, there will be a pop-up box
through our Websites and	globalroute	model, jump page etc.that were chosen by		to clear the data; select cookies and other website
features, such as access		the travelers.		data options; and click OK
to secure areas.	idsuser		China Southern	to clear the cookies.
	jumpPage -			Firefox: Click on the
	language	_		horizontal three-bar
	account			icon, and the history
	tokenId cs1246643sso		The website of skypearl:	option will appear; click on it and history data will appear; find the
	JSESSIONID		skynearl csair com	option to clear the recent history; click on it and
Performance and functionality cookies: These cookies are used	FRIENDLY_URL_LANGUAGE	For travelers' convenience, record the country, language, speci		bullet box will appear; there will be cookies option; check this option
	PREF_LOCALE			and click Clear Now to
performance and functionality of ourWebsites but are	currentTextZoomIn	on, card vouchers, flight attendants, contact		clear the cookies. Safari: Click safari > Preferences on the top
non-essential to their use. However, without	cookiePolicy	information, flight information, mac		browser toolbar; switch to the privacy tab; find

these cookies, certain	1. 5 5	address, user		the "cookies and other
functionality(like	cookiePolicyExpiry	information and mailing		data" item; click
videos)may become unavailable.	formOW1 , formRT1 etc	address, etc. that were chosen by the travlers.		"details" to delete a cookie or delete all cookies in one click.
	ADT(any passenger code)			
	DEVICEID			-
	IDFA			
	PUSHTOKEN			
	REGISTRATIONID			
	DEVICEALIAS		3g.csair.com	
	timeZone			
	gzip			
	timeZone			
	REGISTRATIONID			
	DEVICEALIAS			
	account			
	accountArr			
	psgrsAddCache			
	psgrsAddInterCache			
	user			
	loginInfo		m.csair.com	
	loginType			
	mobileNeedMemberLogin			
	userAccount			
	noVipAccount			
	noVipAccountArr			

csair_booking_user		
csair_booking_touch		
upPsg_inputsHistory		
mealsbook_userInfo		
touchLoginType		
firstLogin		
successPage		
showLoginModule		
weixininfo		
weixintoken		
com.csair.mbp.login/nameVerify		
com.csair.mbp.login/moreAccount		
aid		
memberId		
isFromCoupon		
EInvoice_userInfo		
TextConnectMoblieNo		
autoLogin		
all_passenger_selected		

eCheckObject		
extraLugagge_search_que ry		
mb_loginParam		
meal_touch		
csair_search		
queryBabyParm		
mealBooked.login.search History		
specialService.childSer vice.application		
specialService_disabili tyCache		
specialService_elderlyH elpCache		
extraLuggage_searchCach e		
hotel/passagerMessage		
hotel/isMemberLogin		
csair_checkMes		
querysInfo		
com.csair.mbp.booking_n ew/ePsgrs.obj		

com.csair.mbp.booking_n ew/ePsgrsDetail.html		
com.csair.mbp.booking_n ew.psgrsInterAddAndDeta il.data		
defaultMemberNo		
language		
allUserInfo		
locale		
lang		
eBindMemberFlag		
isAccountnewREG		
isShowCZ		
JSESSIONID		
loginType		
memberType		
temp_au	The official website of	
temp_zh	China Southern	
ticketBoolingSearch	Airlines: www.csair.com	
userCodeCookie		
useridCookie		
showSHAPVG		
sid		
travelSession		
userId4logCookie		
1	1	

	userId			
	userType4logCookie			
	JSESSIONID		The website of	
	CS23234897tre			
	useridCookie			
	userCodeCookie			
	isTierSetCookie		skypearl:skypearl.csa	
	tierCookie			
	fraud_session_id			
	language			
	_fmdata	Tongdun risk assessment identifies		
	ISESSTON-TD	Used to identify pictures and code images	skypearl H5: mskypearl.csair.com	
	_utma			
	_utmb			
	_utmc			
Analytics and customisation cookies:	_utmt	-		
	_utmz			
These cookies collect information that is used	_utmt_track0 (_utmt_track(n) where n is tracker number)	For the analysis of market data, recording the travelers's equipment type, version number, operating system, etc. to further	www.amadeus.com	
campaigns are, or to help us customise our	IAPPTYPE	enhance the travelers'	3g.csair.com	
	type	service experience.		
	- J P -			
Websites for you.	appversion / APPVERSION			
	DEVICETYPE			

	SYSTEMVERSION /		
	osversion		
	os		
	APPTYPE		
	type		
	timestamp		
	APPVERSION		
	DEVICETYPE		
	SYSTEMVERSION		
	MAC		
	IMEI		
	csmbplogintype		
	WT-FPC		
	JSESSIONID		
Security cookies:	_fmdata	Tongdun risk assessment identifies	Tongdun
	WT-FPC	Webtrends-Recording the	
		user's login	
		information.	
		Webtrends-Recording the	
	WT.al_ctact	contact person for passengers' orders (the	webtrends log
		mobile phone number has	
		Webtrends-Recording the	
Data analysis cookies:	WT al flight	information on the	
	wi.ai_fiignt	flights selected by	
		passengers.	
		Webtrends- the user's	
	WT.al_puser	login ID and the user'	
	s grade.		
	ACOOKIE	Webtrends to identify users	sdc.csair.com
	WEBTRENDS_ID	Join cookie to collect	WebTrends analysis
		sdc event tracking	tool for web log