

```
<?xml version="1.0" encoding="UTF-8"?>
<OrderChangeRQ Version="17.2" xmlns="http://www.iata.org/IATA/EDIST/2017.2"
EchoToken="按规则产生">
  <Document/>
  <Party>
    <Sender>
      <CorporateSender>
        <Name>南航分配</Name>
        <ID>南航分配</ID>
        <IATA_Number>00001704</IATA_Number>
      </CorporateSender>
    </Sender>
  </Party>
  <Query>
    <OrderID Owner="CZ">B1902250000028</OrderID>
    <OrderServicing>
      <AcceptOffer>
        <Offer OfferID="offer-1" Owner="CZ" ResponseID="0">
          <OfferItem OfferItemID="offerItem-1-Sg1">
            <PassengerRefs>Pax1</PassengerRefs>
          </OfferItem>
        </Offer>
      </AcceptOffer>
      <Delete>
        <OrderItemID>Sg-old-1</OrderItemID>
      </Delete>
    </OrderServicing>
  </Query>
  <DataLists>
    <PassengerList>
      <Passenger PassengerID="Pax1">
        <PTC>ADT</PTC>
        <Individual>
          <Surname>ZHANG/FAN</Surname>
        </Individual>
      </Passenger>
    </PassengerList>
    <FlightSegmentList>
      <FlightSegment SegmentKey="Sg-old-1">
        <Departure>
          <AirportCode>CAN</AirportCode>
          <Date>2019-05-21</Date>
          <Time>08:00</Time>
        </Departure>
      </FlightSegment>
    </FlightSegmentList>
  </DataLists>
</OrderChangeRQ>
```

```

    <Arrival>
      <AirportCode>PEK</AirportCode>
      <Date>2019-05-21</Date>
      <Time>11:10</Time>
    </Arrival>
    <MarketingCarrier>
      <AirlineID>CZ</AirlineID>
      <FlightNumber>3101</FlightNumber>
    </MarketingCarrier>
    <ClassOfService>
      <Code>Y</Code>
    </ClassOfService>
  </FlightSegment>
  <FlightSegment SegmentKey="Sg1">
    <Departure>
      <AirportCode>CAN</AirportCode>
      <Date>2019-05-25</Date>
      <Time>08:00</Time>
    </Departure>
    <Arrival>
      <AirportCode>PEK</AirportCode>
      <Date>2019-05-25</Date>
      <Time>11:10</Time>
    </Arrival>
    <MarketingCarrier>
      <AirlineID>CZ</AirlineID>
      <FlightNumber>3101</FlightNumber>
    </MarketingCarrier>
    <ClassOfService>
      <Code>F</Code>
    </ClassOfService>
  </FlightSegment>
</FlightSegmentList>
</DataLists>
</OrderChangeRQ>

<OrderViewRS Version="17.2" xmlns="http://www.iata.org/IATA/EDIST/2017.2">
  <Document/>
  <Success/>
  <Response>
    <Order OrderID="S1903070000018" Owner="CZ">
      <BookingReferences>
        <BookingReference>

```

```
<ID>MJK00C</ID>
  <OtherID>1E</OtherID>
</BookingReference>
</BookingReferences>
<Status>
  <StatusCode>U</StatusCode>
</Status>
<OrderItems>
  <OrderItem OrderItemID="orderItem-new-seg1">
    <PriceDetail>
      <BaseAmount Code="CNY">3580</BaseAmount>
      <Surcharges>
        <Surcharge>
          <Total>2150</Total>
        </Surcharge>
      </Surcharges>
    </PriceDetail>
    <Service ServiceID="orderItem-new-seg1serviceID-0">
      <PassengerRef>p1</PassengerRef>
      <SegmentRef>new-seg1</SegmentRef>
    </Service>
  </OrderItem>
  <OrderItem OrderItemID="orderItem-old-seg1">
    <PriceDetail>
      <BaseAmount Code="CNY">1430</BaseAmount>
    </PriceDetail>
    <Service ServiceID="orderItem-old-seg1serviceID-0">
      <PassengerRef>p1</PassengerRef>
      <SegmentRef>old-seg1</SegmentRef>
    </Service>
  </OrderItem>
</OrderItems>
</Order>
<DataLists>
  <PassengerList>
    <Passenger PassengerID="p1">
      <PTC>ADT</PTC>
      <IdentityDocument>
        <IdentityDocumentNumber/>
        <IdentityDocumentType/>
        <Surname>张三</Surname>
      </IdentityDocument>
    </Passenger>
  </PassengerList>
```

```

<FlightSegmentList>
  <FlightSegment SegmentKey="new-seg1">
    <Departure>
      <AirportCode>CAN</AirportCode>
      <Date>2019-03-21</Date>
    </Departure>
    <Arrival>
      <AirportCode>CTU</AirportCode>
    </Arrival>
    <MarketingCarrier>
      <AirlineID>CZ</AirlineID>
      <FlightNumber>8647</FlightNumber>
    </MarketingCarrier>
    <ClassOfService>
      <Code>J</Code>
    </ClassOfService>
  </FlightSegment>
  <FlightSegment SegmentKey="old-seg1">
    <Departure>
      <AirportCode>CAN</AirportCode>
      <Date>2019-04-04</Date>
    </Departure>
    <Arrival>
      <AirportCode>CTU</AirportCode>
    </Arrival>
    <MarketingCarrier>
      <AirlineID>CZ</AirlineID>
      <FlightNumber>8647</FlightNumber>
    </MarketingCarrier>
    <ClassOfService>
      <Code>W</Code>
    </ClassOfService>
  </FlightSegment>
</FlightSegmentList>
</DataLists>
</Response>
</OrderViewRS>

```

```

<?xml version="1.0" encoding="UTF-8"?>
<OrderRetrieveRQ Version="17.2" xmlns="http://www.iata.org/IATA/EDIST/2017.2"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="http://www.iata.org/IATA/EDIST/2017.2 ../17_2%20schemas_EDIST/OrderRetrieveRQ.xsd" Target="Production">

```

```
<Document/>
<Party>
  <Sender>
    <CorporateSender>
      <Name>南航分配</Name>
      <ID>南航分配</ID>
      <IATA_Number>00001704</IATA_Number>
    </CorporateSender>
  </Sender>
</Party>
<Query>
  <Filters>
    <OrderID Owner="CZ">S1801010000001</OrderID>
  </Filters>
</Query>
</OrderRetrieveRQ>
```

```
<OrderViewRS Version="17.2" xmlns="http://www.iata.org/IATA/EDIST/2017.2">
  <Document/>
  <Success/>
  <Response>
    <Order OrderID="S1903070000018" Owner="CZ">
      <BookingReferences>
        <BookingReference>
          <ID>MJK00C</ID>
          <OtherID>1E</OtherID>
        </BookingReference>
      </BookingReferences>
      <Status>
        <StatusCode>U</StatusCode>
      </Status>
      <OrderItems>
        <OrderItem OrderItemID="orderItem-new-seg1">
          <PriceDetail>
            <BaseAmount Code="CNY">3580</BaseAmount>
            <Surcharges>
              <Surcharge>
                <Total>2150</Total>
              </Surcharge>
            </Surcharges>
          </PriceDetail>
          <Service ServiceID="orderItem-new-seg1serviceID-0">
```

```
        <PassengerRef>p1</PassengerRef>
        <SegmentRef>new-seg1</SegmentRef>
    </Service>
</OrderItem>
<OrderItem OrderItemID="orderItem-old-seg1">
    <PriceDetail>
        <BaseAmount Code="CNY">1430</BaseAmount>
    </PriceDetail>
    <Service ServiceID="orderItem-old-seg1serviceID-0">
        <PassengerRef>p1</PassengerRef>
        <SegmentRef>old-seg1</SegmentRef>
    </Service>
</OrderItem>
</OrderItems>
</Order>
<DataLists>
    <PassengerList>
        <Passenger PassengerID="p1">
            <PTC>ADT</PTC>
            <IdentityDocument>
                <IdentityDocumentNumber/>
                <IdentityDocumentType/>
                <Surname>张三</Surname>
            </IdentityDocument>
        </Passenger>
    </PassengerList>
    <FlightSegmentList>
        <FlightSegment SegmentKey="new-seg1">
            <Departure>
                <AirportCode>CAN</AirportCode>
                <Date>2019-03-21</Date>
            </Departure>
            <Arrival>
                <AirportCode>CTU</AirportCode>
            </Arrival>
            <MarketingCarrier>
                <AirlineID>CZ</AirlineID>
                <FlightNumber>8647</FlightNumber>
            </MarketingCarrier>
            <ClassOfService>
                <Code>J</Code>
            </ClassOfService>
        </FlightSegment>
        <FlightSegment SegmentKey="old-seg1">
```

```

        <Departure>
            <AirportCode>CAN</AirportCode>
            <Date>2019-04-04</Date>
        </Departure>
        <Arrival>
            <AirportCode>CTU</AirportCode>
        </Arrival>
        <MarketingCarrier>
            <AirlineID>CZ</AirlineID>
            <FlightNumber>8647</FlightNumber>
        </MarketingCarrier>
        <ClassOfService>
            <Code>W</Code>
        </ClassOfService>
    </FlightSegment>
</FlightSegmentList>
</DataLists>
</Response>
</OrderViewRS>

```

```

<?xml version="1.0"?>
<AirDocIssueRQ EchoToken="按规则产生" Version="17.2"
xmlns="http://www.iata.org/IATA/EDIST/2017.2">
    <Document>
        <!-- 区分不同支付，“4”代表变更单支付 -->
        <Name>4</Name>
    </Document>
    <Party>
        <Sender>
            <!-- 代理姓名、ID、IATA_Number 信息 -->
            <CorporateSender>
                <Name>南航分配</Name>
                <ID>南航分配</ID>
                <IATA_Number>00001704</IATA_Number>
            </CorporateSender>
        </Sender>
    </Party>
    <Query>
        <TicketDocQuantity>0</TicketDocQuantity>
        <TicketDocInfo>
            <PassengerReference>passenger</PassengerReference>
            <OrderReference>
                <!-- 变更单号 -->

```

```

        <OrderID                                Owner="CZ"
OwnerType="ORA">S1901180000005</OrderID>
    </OrderReference>
    <Payments>
        <Payment>
            <Type>CA</Type>
            <Method>
                <Other>
                    <Remarks>
                        <!-- 支付网关 -->
                        <Remark>135</Remark>
                    </Remarks>
                </Other>
            </Method>
            <Amount>0</Amount>
            <!-- 变更单号 -->
            <Order            OrderID="S1901180000005"            Owner="CZ"
OwnerType="ORA"/>
        </Payment>
    </Payments>
</TicketDocInfo>
<DataLists>
    <PassengerList>
        <Passenger PassengerID="passenger"/>
    </PassengerList>
</DataLists>
</Query>
</AirDocIssueRQ>

```

```

<?xml version="1.0" encoding="UTF-8"?>
<OrderViewRS Version="1.7" xmlns="http://www.iata.org/IATA/EDIST/2017.2">
    <Document/>
    <Success/>
    <Response>
        <!-- 变更单号 -->
        <Order OrderID="S1808200000126" Owner="CZ">
            <OrderItems>
                <OrderItem OrderItemID="orderItemID-1">
                    <PriceDetail>
                        <BaseAmount>0</BaseAmount>
                    </PriceDetail>
                    <Service ServiceID="service">
                        <PassengerRef>passenger</PassengerRef>
                    </Service>
                </OrderItem>
            </OrderItems>
        </Order>
    </Response>
</OrderViewRS>

```



```

        <!-- 支付流水号 -->
<ServiceDefinitionRef>YEE020160921892664</ServiceDefinitionRef>
    </Service>
    </OrderItem>
</OrderItems>
</Order>
<DataLists>
    <PassengerList>
        <Passenger PassengerID="passenger"/>
    </PassengerList>
    <ServiceDefinitionList>
        <!-- 支付流水号 -->
        <ServiceDefinition ServiceDefinitionID="YEE020160921892664">
            <!-- 支付网关 -->
            <Name>134</Name>
            <Descriptions>
                <Description>
                    <!-- 支付表单地址 -->
                    <Text>XXXXX</Text>
                </Description>
            </Descriptions>
        </ServiceDefinition>
    </ServiceDefinitionList>
</DataLists>
</Response>
</OrderViewRS>

<?xml version="1.0" encoding="UTF-8"?>
<OrderChangeNotif Version="17.2" xmlns="http://www.iata.org/IATA/EDIST/2017.2"
EchoToken="333766712586592664681085744789556424475025996795">
    <Document/>
    <Party>
        <Sender>
            <!-- 代理姓名、ID、IATA_Number 信息 -->
            <CorporateSender>
                <Name>南航分配</Name>
                <ID>南航分配</ID>
                <IATA_Number>00001704</IATA_Number>
            </CorporateSender>
        </Sender>
    </Party>

```

```

<Query>
  <!-- 变更单号 -->
  <Order Owner="CZ" OrderID="S1901090000166">
    <Status>
      <!-- 变更单状态码 -->
      <StatusCode>E</StatusCode>
    </Status>
    <OrderItems>
      <OrderItem OrderItemID="orderItemID-1">
        <PriceDetail>
          <BaseAmount>0</BaseAmount>
        </PriceDetail>
        <Service ServiceID="service">
          <PassengerRef>passenger</PassengerRef>

<ServiceDefinitionRef>orderExchangeNotify</ServiceDefinitionRef>
        </Service>
      </OrderItem>
    </OrderItems>
  </Order>
</Query>
<DataLists>
  <PassengerList>
    <Passenger PassengerID="passenger"/>
  </PassengerList>
  <ServiceDefinitionList>
    <ServiceDefinition ServiceDefinitionID="orderExchangeNotify">
      <Name>orderExchangeResult</Name>
      <Descriptions>
        <Description>
          <!-- 变更单状态信息 -->
          <Text>变更成功</Text>
        </Description>
      </Descriptions>
    </ServiceDefinition>
  </ServiceDefinitionList>
</DataLists>
</OrderChangeNotif>

<?xml version="1.0" encoding="UTF-8"?>
<Acknowledgement Version="" xmlns="http://www.iata.org/IATA/EDIST/2017.2"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"

```

```
xsi:schemaLocation="http://www.iata.org/IATA/EDIST/2017.2
Acknowledgement.xsd">
  <Document/>
  <!-- 变更单状态通知结果 -->
  <StatusCode>OK</StatusCode>
</Acknowledgement>
```