	Types of cookie			How to refuse
Category	Title	Explanation	Who serves these cookies	Because these cookies are strictly necessary to deliver the Websites to you, you cannot refuse them. You can block or delete them by changing your browser settings.
	lang LANGTYPE token secType DEVICEID		3g.csair.com	IE: Clear History or Cookies on Internet Options Settings in IE browser. Google: click on the vertical three-point icon
	userId	1	m.csair.com	will appear history
These cookies are	TOKEN cs1246643sso sid	For travelers'		options; move the mouse to the top, there will be history data; open the history button there is
	account	country, language, account number, device	m. csair. com	clear browser data options; after clicking,
services available through our Websites and	globalroute	model, jump page etc.that were chosen by		there will be a pop-up box to clear the data; select
to use some of its features, such as access	idstoken	the travelers.		cookies and other website data options; and click OK
to secure areas.	idsuser		China Southern	to clear the cookies.
	jumpPage	_	Airlines:	Firefox: Click on the
	language	_	www.csair.com	horizontal three-bar
	account			icon, and the history
	tokenId	_		option will appear; click
	cs1246643sso		The website of skypearl:	on it and history data will appear; find the
	JSESSIONID		skynearl csair com	option to clear the recent history; click on it and
Performance and functionality cookies:	FRIENDLY_URL_LANGUAGE	For travelers' convenience, record the country, language, speci		bullet box will appear;
These cookies are used				option; check this option
	PREF_LOCALE	al		and click Clear Now to
performance and		service, logininformat	www.amadeus.com	clear the cookies.
functionality of	currentTextZoomIn	on, card vouchers, flight		Safari: Click safari >
ourWebsites but are		attendants, contact		Preferences on the top
non-essential to their	cookiePolicy	information, flight		browser toolbar; switch
use. However, without	COOKICI OIICY	information, mac		to the privacy tab; find

these cookies, certain	1. 5 5	address, user		the "cookies and other
functionality(like	cookiePolicyExpiry	information and mailing		data" item; click
videos)may become unavailable.	formOW1 , formRT1 etc	address, etc. that were chosen by the travlers.		"details" to delete a cookie or delete all cookies in one click.
	ADT(any passenger code)			
	DEVICEID			-
	IDFA			
	PUSHTOKEN			
	REGISTRATIONID			
	DEVICEALIAS		3g.csair.com	
	timeZone			
	gzip			
	timeZone			
	REGISTRATIONID			
	DEVICEALIAS			
	account			
	accountArr			
	psgrsAddCache			
	psgrsAddInterCache			
	user			
	loginInfo		m.csair.com	
	loginType			
	mobileNeedMemberLogin			
	userAccount			
	noVipAccount			
	noVipAccountArr			

csair_booking_user		
csair_booking_touch		
upPsg_inputsHistory		
mealsbook_userInfo		
touchLoginType		
firstLogin		
successPage		
showLoginModule		
weixininfo		
weixintoken		
com.csair.mbp.login/nameVerify		
com.csair.mbp.login/moreAccount		
aid		
memberId		
isFromCoupon		
EInvoice_userInfo		
TextConnectMoblieNo		
autoLogin		
all_passenger_selected		

eCheckObject		
extraLugagge_search_que ry		
mb_loginParam		
meal_touch		
csair_search		
queryBabyParm		
mealBooked.login.search History		
specialService.childSer vice.application		
specialService_disabili tyCache		
specialService_elderlyH elpCache		
extraLuggage_searchCach e		
hotel/passagerMessage		
hotel/isMemberLogin		
csair_checkMes		
querysInfo		
com.csair.mbp.booking_n ew/ePsgrs.obj		

com.csair.mbp.booking_n ew/ePsgrsDetail.html		
com.csair.mbp.booking_n ew.psgrsInterAddAndDeta il.data		
defaultMemberNo		
language		
allUserInfo		
locale		
lang		
eBindMemberFlag		
isAccountnewREG		
isShowCZ		
JSESSIONID		
loginType		
memberType		
temp_au	The official website of	
temp_zh	China Southern	
ticketBoolingSearch	Airlines: www.csair.com	
userCodeCookie		
useridCookie		
showSHAPVG		
sid		
travelSession		
userId4logCookie		
1	1	

	userId			
	userType4logCookie			
	JSESSIONID			
	CS23234897tre			
	useridCookie			
	userCodeCookie		The website of	
	isTierSetCookie		skypearl:skypearl.csa	
	tierCookie			
	fraud_session_id			
	language			
	_fmdata	Tongdun risk assessment identifies		
	SESSION-ID	Used to identify pictures and code images	skypearl H5: mskypearl.csair.com	
	_utma			
	_utmb			
	_utmc			
Analusias and	_utmt			
Analytics and customisation cookies:	_utmz			
These cookies collect information that is used	_utmt_track0 (_utmt_track(n) where n is tracker number)	For the analysis of market data, recording the travelers's equipment type, version number, operating system, etc. to further	www. amadeus. com	
effective are marketing campaigns are, or to help us customise our Websites for you.	IAPPTYPE	enhance the travelers'		
	type	service experience.		
	-,,,,			
	appversion / APPVERSION		3g.csair.com	
	DEVICETYPE			

SYSTEMVERSION /	
osversion	
os	
APPTYPE	
type	
timestamp	
APPVERSION	
DEVICETYPE	
SYSTEMVERSION	
MAC	
IMEI	
csmbplogintype	
WT-FPC	
JSESSIONID	
Security cookies:fmdata	
Webtrends-Recording the	
WT-FPC user's login	
information.	
Webtrends-Recording the	
contact person for wT.al_ctact passengers' orders (the	
mobile phone number has	
been desensitized). webtrends log	
Webtrends-Recording the	
Data analysis cookies: WT. al_flight information on the	
wl.al_flights selected by	
passengers.	
Webtrends— the user's	
WT.al_puser login ID and the user'	
s grade.	
ACOOKIE Webtrends to identify sdc.csair.com	
WEBTRENDS_ID Join cookie to collect WebTrends analysis	
sdc event tracking tool for web log	1