Types of cookie				How to refuse Because these
Category	Title	Explanation	Who serves these cookies	cookies are strictly necessary to deliver the Websites to you, you cannot refuse them. You can block or delete them by changing your browser settings.
Essential website	lang LANGTYPE token secType DEVICEID lang LANGTYPE token secType	For travelers'	3g.csair.com	IE: Clear History or Cookies on Internet Options Settings in IE browser. Google: click on the vertical three-point icon will appear history options; move the mouse to the top, there will be
These cookies are	userId	convenience, record the country, language, account number, device model, jump page etc. that were chosen by the travelers.	m.csair.com	history data; open
strictly necessary to provide you with services available	TOKEN cs1246643sso sid		3g.csair.com	the history button there is clear browser data
through our Websites and	account		m.csair.com	options; after
to use some of its	globalroute		The official website of China Southern Airlines: www.csair.com The website of skypearl:skypearl .csair.com	clicking, there will be a pop-up box to
features, such as access	idstoken			clear the data;
to secure areas.	idsuser			select cookies and
	jumpPage			other website data
	language			options; and click OK
	account			to clear the cookies.
	tokenId			Firefox: Click on the
	cs1246643sso			horizontal three-bar icon, and the history
	JSESSIONID			option will appear;
Performance and	FRIENDLY_URL_LANGUAGE	For travelers' convenience, record		history data will
functionality cookies:	PREF_LOCALE			appear; find the
These cookies are used to		the country,	Amadeus	option to clear the
enhance the performance		language, special		recent history;
and functionality of our	cookiePolicyExpiry	service, login		click on it and

W 1 1 1	C OW1 C DE1			1 11 . 1 . 11
Websites but are	formOW1 , formRT1 etc	information, card		bullet box will appear; there will be
use. However, without	ADT(any passenger code)	vouchers, flight attendants, contact		cookies option;
use. However, without these cookies, certain		information, flight		check this option and
functionality (like	IDFA	information, mac		click Clear Now to
videos) may become	PUSHTOKEN	address, user		clear the cookies.
unavailable.	REGISTRATIONID	information and		Safari: Click
	DEVICEALIAS	mailing address,	3g.csair.com	safari > Preferences
	timeZone	etc.that were chosen by the travlers.	og. esarr. com	on the top browser toolbar; switch to the privacy tab; find
	gzip			
	timeZone			
	REGISTRATIONID			the "cookies and
	DEVICEALIAS			other data" item;
	account			click "details" to delete a cookie or delete all cookies in
	accountArr			
	psgrsAddCache			one click.
	psgrsAddInterCache			one offen i
	user			
	loginInfo			
	loginType			
	mobileNeedMemberLogin			
	userAccount			
	noVipAccount			
	noVipAccountArr			
	csair_booking_user			
	csair_booking_touch			
	upPsg_inputsHistory		m.csair.com	
	mealsbook_userInfo			
	touchLoginType			
	firstLogin			
	successPage			
	showLoginModule			
	weixininfo			
	weixintoken			
	com. csair. mbp. login/nameVe			
	rify			
	com. csair. mbp. login/moreAc			
	count			
	aid			
	memberId			

isFromC	Coupon	
EInvoic	ce_userInfo	
TextCor	nnectMoblieNo]
autoLog	gin]
all_pas	ssenger_selected	1
eCheck()bject	1
extraLu	ngagge_search_query	
mb_logi	nParam	1
meal_to	ouch	1
csair_s		1
queryBa		
	oked.login.searchHis	-
tory		
special	Service.childServic	1
e. appli		
special	Service_disabilityC	1
ache		
special	Service_elderlyHelp	
Cache		
extraLu	nggage_searchCache	
hotel/p	passagerMessage	
hotel/i	sMemberLogin	
csair_c	checkMes	
querysI	nfo]
com. csa	nir.mbp.booking_new/	
ePsgrs.	obj	
	nir.mbp.booking_new/	
	Oetail.html	_
	nir.mbp.booking_new.	
	nterAddAndDetail.dat	
a		-
	MemberNo	-
languag		-
allUser	Into	-
locale		-
lang		-
	emberFlag	The official
	ıntnewREG	website of China
isShowC		Southern Airlines
JSESSIC	NID	www.csair.com

	1 T		
	loginType		
	memberType		
	temp_au		
	temp_zh		
	ticketBoolingSearch		
	userCodeCookie		
	useridCookie		
	JSESSIONID		
	CS23234897tre		
	useridCookie		
	userCodeCookie		The website of
	isTierSetCookie		skypearl: <u>skypearl</u>
	tierCookie		.csair.com
	language		
	0.1.	Tongdun risk	
	_fmdata	assessment identifies	
		Used to identify	
	SESSION-ID	pictures and code	skypearl H5
		images	
	_utma		
	_utmb		
	_utmc	For the analysis of market data, recording the travelers's equipment type, version number,	
	_utmt		Amadeus
	_utmz		7 made ab
Analytics and customisation cookies: These cookies collect	_utmt_track0 (_utmt_track(n) where n is tracker number)		
information that is used	APPTYPE		
either in aggregate form			
	appversion / APPVERSION	operating system,	
our Websites are being		etc. to further	3g.csair.com
used or how effective are marketing campaigns are,	SYSTEMVERSION / osversion	enhance the travelers' service experience.	
or to help us customise	os		
our Websites for you.	АРРТҮРЕ	-	
	type		
	timestamp		
	APPVERSION		
	DEVICETYPE		
	SYSTEMVERSION		
	I	I	

	MAC		
	IMEI		
	csmbplogintype		
	WT-FPC		
	JSESSIONID		
	ACOOKIE		sdc.csair.com
	showSHAPVG		
	sid		The official
	travelSession		website of China
	userId4logCookie		Southern Airlines:
	userId		www.csair.com
	userType4logCookie		
	WT-FPC	Webtrends-Recording the user's login information.	
	WT.al_ctact	Webtrends-Recording the contact person for passengers' orders (the mobile phone number has been desensitized).	webtrends log
	WT.al_flight	Webtrends-Recording the information on the flights selected by passengers.	
	WT.al_puser	Webtrends- the user's login ID and the user's grade.	
	AC00KIE	Webtrends to identify users	sdc.csair.com
	WT-FPC	Webtrends to identify users	WebTrends analysis
	WEBTRENDS_ID	Join cookie to collect sdc event tracking	tool for web log
Security	_fmdata	Tongdun risk assessment identifies	Tongdun
Data analysis	WT-FPC	Webtrends-Recording the user's login information.	webtrends log
	WT.al_ctact	Webtrends-Recording the contact person for	

		passengers' orders	
		(the mobile phone	
		number has been	
		desensitized).	
		Webtrends-Recording	
		the information on the	;
		flights selected by	
		passengers.	
WT.al_puse		Webtrends- the user'	
	WT.al_puser	s login ID and the	
		user's grade.	